



GRENswerk

Houserider

Address

Peperstraat 10
5911 HA Venlo
the Netherlands

Phone

[\(+31\) 077 326 6530](tel:+310773266530)

E-mail

info@grenswerk.nl

Facebook

facebook.com/PoppodiumGrenswerk

Instagram

instagram.com/grenswerk/

Capacity

Main hall: 600

Cafe: 150

IMPORTANT INFORMATION

Concept

Grenswerk is a music venue located in Venlo. We organise events in all aspects of pop culture: concerts, clubnights, rehearsal spaces, a recording studio, voluntary work, training possibilities and much more! Our mission is to contribute to the cultural climate in Venlo and it's surroundings by enabling people to enjoy all aspects of pop music.

Fire Proof Certificates and Restrictions

There are strict regulations concerning the use of pyrotechnical devices, smoke, laser and fire effects on stage. Please contact venue's production manager well in advance if your production involves anything like this.

All scenery, back drops etc. must be flame-proof and comply with all Dutch fire and safety regulations. The use of animal's blood, animal's carcasses, confetti, snow, glitter, foam or bubble machines is not allowed. The use of streamers is allowed.

Smoking

Grenswerk maintains the Dutch law; smoking inside the building is not allowed. You can only smoke outside.

Sound limit

Max average equivalent noise level: Leq=103 dB (A), measured over 15 minutes at FOH position.

- For young kids shows (<=13 yrs): 91 dB (A)

Sound levels will be measured and registered during the show.

Measurements will always be available to band- and house FOH tech. If sound levels exceed max average, our house tech will intervene in order to maintain the max sound level.

Sound level measurements will be shared with the Ministry of Health, Welfare and Sports (VWS).

STANDARD FACILITIES

Dressing Rooms

There are 3 dressing rooms, an artist lounge, 2 private showers and one full bathroom with bath.

Parking & Route

Tour buses and trailers can be parked next to the loading dock. Nightliners and Trailers can park at our loading dock only if we are notified a minimum of 3 weeks in advance. For nightliner power we have one (1) 32A 3 Phase outlet outside at the loading dock.

Parking for regular buses and cars is possible on your own account. We recommend parking at Arsenaal, Nassastraat 87 (Venlo).

Load-in address: Peperstraat 10, 5911HA Venlo

Recommended parking lot: Arsenaal, Nassastraat 87



TECHNICAL INFORMATION

Local Crew

- 1 × FOH
- 1 × Monitor tech
- 1 × Light tech
- 1 × Stagehand

Stage Sizes

- Main Hall: 10 x 6 x 1 meters – sidestages 2 x 4 x 1 meters (L+R).
Clearance (stage) 5,0 m
Max. size backdrop: 10 x 5 m (max load, 1000kg)
- Cafe: 5x3 meters (16,4 ft x 9,8 ft)

Power Supply

Main hall:

- Light: 1x 63A CEE 400v + 2 × 32A 400v
- Audio: 1x 32A CEE 400v

Café:

- 1x 32A 400v

Backline

We will presume artist will carry all backline unless otherwise agreed. Specific information about our backline can be supplied upon request.

AV

- 1 Projector Epson EB-L1505UH (12.000LM)
- 1 Projection Screen Draper Electric 4:3 300x400 cm

MAIN STAGE

AUDIO SPECIFICATIONS MAIN HALL

SOUNDLEVEL LIMIT 103 dB(A) Slow over 15 min.

Quantity	Description	Type	Brand
PA			
10 cabinets	Line Array	Y8	D&B Audiotechnik
4 cabinets	Line Array Downfill	Y12	D&B Audiotechnik
2 cabinets	Sub Array	Y-sub	D&B Audiotechnik
6	Subs	B22	D&B Audiotechnik
Frontfill			
2	Top Cabinet	Y10P	D&B Audiotechnik
FOH			
1	F.O.H. Desk	SD12 48-16	DiGiCo
Monitors			
1	Monitor Desk	SD12 48-16	DiGiCo
13	Floor Monitor (incl PFL)	M4	D&B Audiotechnik
2	Drum Sub	B6 Sub	D&B Audiotechnik
Processor			
1	Matrix Processor	4REA4 [Dante]	DiGiCo
1	Network Bridge	DS10	D&B Audiotechnik
CAT6			
2	Lines to Stage-left	RJ45 CAT6	Neutrick
BNC			
2	Lines to Stage-left	BNC	Neutrick
ANALOG			
2	Lines to Stage-left	XLR	Neutrick

MAIN STAGE

MISCELLANEOUS MAIN HALL

SOUNDLEVEL LIMIT 103 dB(A) Slow over 15 min.

Quantity	Description	Type	Brand
MICS/DI'S			
6	Mic	E904	Sennheiser
4	Mic	MD421-II-4	Sennheiser
4	Mic	E906	Sennheiser
3	Mic	E604	Sennheiser
set	CONDENSER MIC	KM184MT-Stereo Set	Neumann
10	Mic	SM58LCE	Shure
10	Mic	SM57LCE	Shure
2	Mic	Beta 57A	Shure
1	Mic	Beta 57 V1	Shure
2	Mic	Beta 56A	Shure
2	CONDENSER MIC	Beta 91	Shure
2	Mic	Beta 52A	Shure
1	Mic	Beta 58	Shure
1	CONDENSER MIC	Beta 87	Shure
4	Mic	SM81LCE	Shure
2	CONDENSER MIC	C214	AKG
1	Mic	D112	AKG
4	Passive DI	PROD2	Radial
8	Active DI	AR-133	BSS
Wireless			
2	Dual Wireless Mic + SM58 head	DMS-800 (over Dante)	AKG
Stands			
12	/W TELESCOPE AND SHORT LEGS	Tall	K&M
16	/W TELESCOPE AND SHORT LEGS	Medium	K&M
2	/W TELESCOPE AND SHORT LEGS	Short	K&M
2	ROUNDBASE STAND HEAVY DUTY	Tall	K&M
Additional stands on request			
DJ Gear			
1	DJ Mixer	DJM 900-NEXUS2	Pioneer
4	CD Player	CDJ 2000-NEXUS	Pioneer
2	Turntable	SL-1210 MKII	Technics

LIGHT SPECIFICATIONS **MAIN HALL**

Quantity	Description		Type	Brand
Controller				
1	Control Desk		Grand MA 2 Light	MA Lighting
1	Dimmer rack 24CH		2X MA 12x2,3kVA	MA Lighting
1	Dimmer Front lights		Dimblock 12x2,5kW	TTL
DMX Data distribution				
1	DMX splitter 2x in 9x OUT 5p ISO/RDM			ELC
1	DMX Lan Node 6			ELC
CONVENTIONAL FIXTURES				
6	800W Zoom profile 25/50degre + iris		SPX	Selecon
6	1000W Fresnel		RAMA	Selecon
4	ACL Set		Par 64 250W	Admiral
8	Blinder		Compact Blinder 2	Showtec
2	Strobe light		Atomic 3000	Martin
LED				
20	Single par 64 led	Stage	TourLED pro 28 zoom	Expolite
8	Single par 64 led	Hall	TourLED pro 28 zoom	Expolite
8	Single par 64 led	Floor	TourLED pro 21	Expolite
MOVINGHEADS				
8	Spot movinghead	Stage	Mac Quantum profile	Martin
6	Wash movinghead	Stage	Mac Aura	Martin
4	Spot movinghead	Hall	Intimidator Spot375Z	Chauvet
4	Spot movinghead	Spare	Intimidator Spot375Z	Chauvet
6	Wash movinghead	Hall	Intimidator RGB Trio	Chauvet
Smoke/Haze				
1	Hazer		Unique 2.1 DMX 1,5 kW	Look
1	Smoke Machine		Viper NT DMX 1,3 KW	Look
Projector				
1	Projector		PT-EW730Z 7000LM	Panasonic
1	Projection screen		Electric 4:3 300 x 400 cm	Draper